Amendment to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of claims

- 1. (currently amended) A method for treating reducing a wrinkle on a human face, the method comprising the step of administering a wrinkle reducing amount of botulinum toxin in powder form to the human face a wrinkle using a needleless syringe having a pressure sufficient to deliver the botulinum toxin to a muscle tissue associated with the wrinkle to reduce a muscle contraction of the muscle tissue, thereby reducing the wrinkle.
- 2. (previously presented) The method of claim 1 wherein the botulinum toxin is administered with a carrier.
- 3. (previously presented) The method of claim 2 wherein the botulinum toxin is coated on said carrier.
- 4. (previously presented) The method of claim 2 wherein said carrier comprises a material selected from the group consisting of gold, platinum, tungsten and ice crystal.
- 5-9. (cancelled)
- 10. (previously presented) The method of claim 1 wherein the botulinum toxin is selected from the group consisting of botulinum toxin types A, B, C₁, D, E, F and G.
- 11. (cancelled)

12. (previously presented) The method of claim 1 wherein the botulinum toxin is toxin type A.

13-35. (cancelled)

- 36. (currently amended) A method for treating brow furrows in a human subject, the method comprising the step of administering a brow-furrow reducing amount of a botulinum toxin <u>in powder form</u> to the human subject using a needleless syringe having a pressure sufficient to deliver the botulinum toxin to a muscle tissue associated with the brow furrows to reduce a muscle contraction of the muscle tissue, thereby reducing the brow furrows.
- 37. (previously presented) The method of claim 36, wherein the botulinum toxin is administered with a carrier.
- 38. (previously presented) The method of claim 37, wherein the botulinum toxin is coated on said carrier.
- 39. (previously presented) The method of claim 37, wherein said carrier comprises a material selected from the group consisting of gold, platinum, tungsten and ice crystal.

40-42. (cancelled)

- 43. (previously presented) The method of claim 36, wherein the botulinum toxin is selected from the group consisting of botulinum toxin types A, B, C₁, D, E, F and G.
- 44. (previously presented) The method of claim 36, wherein the botulinum toxin is toxin type A.

- 45. (currently amended) A method for treating a wrinkle on a human face, the method comprising the step of administering a wrinkle reducing amount of a botulinum toxin in powder form to a subdermal muscle tissue in proximity to the wrinkle using a needleless syringe having a pressure sufficient to deliver the botulinum toxin to the subdermal muscle tissue associated with the wrinkle to reduce a muscle contraction of the muscle tissue, thereby reducing the wrinkle.
- 46. (new) A method for treating a wrinkle on a human face, the method comprising the step of administering a wrinkle reducing amount of powdered botulinum toxin to a subdermal muscle tissue in proximity to the wrinkle using a needleless syringe connected to or connectable to means for producing a supersonic gas flow and having a pressure sufficient to deliver the powdered botulinum toxin to the subdermal muscle tissue associated with the wrinkle to reduce a muscle contraction of the muscle tissue, thereby reducing the wrinkle.
- 47. (new) The method of claim 46 wherein the means for producing a supersonic gas flow is a burst of helium.